WEST Search History

Hide Items | Restore | Clear | Cancel

DATE: Monday, March 29, 2004

Hide?	Set Name	Query	Hit Count
		DB=USPT; PLUR=YES; OP=ADJ	
☐	L14	709/228.ccls. or 709/227.ccls.	1618
☐	L13	(determin$3 or detect$4 or autoconfigurat$6 or configur$6) same (link$3 or connection or device or router or host or gateway) same (rip-1 or rip-2 or rip version 1 or rip version 2 or ripver1 or ripver2 or rip adj1 version)	8
		DB=PGPB; PLUR=YES; OP=ADJ	
☐	L12	(determin$3 or detect$4 or autoconfigurat$6 or configur$6) same (link$3 or connection or device or router or host or gateway) same (rip-1 or rip-2 or rip version 1 or rip version 2 or ripver1 or ripver2 or rip adj1 version)	9
☐	L11	configur$6 same (link$3 or connection or device or router or host or gateway) same (rip-1 or rip-2 or rip version 1 or rip version 2 or ripver1 or ripver2)	2
		DB=USPT; PLUR=YES; OP=ADJ	
☐	L10	configur$6 same (link$3 or connection or device or router or host or gateway) same (rip-1 or rip-2 or rip version 1 or rip version 2 or ripver1 or ripver2)	2
☐	L9	configur$6 same (link$3 or connection or device or router or host or gateway) with (rip-1 or rip-2 or rip version 1 or rip version 2 or ripver1 or ripver2)	1
☐	L8	configur$6 with (link$3 or connection) with (rip-1 or rip-2 or rip version 1 or rip version 2 or ripver1 or ripver2)	0
☐	L7	configur$6 near5 (link$3 or connection) near5 (rip-1 or rip-2 or rip version 1 or rip version 2 or ripver1 or ripver2)	0
☐	L6	6243759[uref]	2
☐	L5	6243759[uref]	2
☐	L4	(determin$3 or identif$6 or detect$6) with (rip or routing information protocol) with (version or ver or number) with (device or router or host)	11
☐	L3	(determin$3 or identif$6 or detect$6) near5 (rip or routing information protocol) with (version or ver or number) with (device or router or host)	3
☐	L2	(determin$3 or identif$6 or detect$6) near5 (request or packet or frame) near5 (rip$4 or rip adj ver$6) with (device or router or host)	12
☐	L1	(determin$3 or identif$6 or detect$6)4 near5 (request or packet or frame) near5 (rip$4 or rip adj ver$6) with (device or router or host)	0

END OF SEARCH HISTORY

Freeform Search

Database: US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Term:

Display: 10 **Documents in Display Format:** TI **Starting with Number** 1

Generate: ○ **Hit List** ◉ **Hit Count** ○ **Side by Side** ○ **Image**

Search Clear Interrupt

Search History

DATE: Monday, March 29, 2004 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
	DB=USPT; PLUR=YES; OP=ADJ		
L18	L17 and rip	5	L18
L17	L14 and protocol adj version	63	L17
L16	L14 and rip adj version	2	L16
L15	L14 and rip adj cersion	0	L15
L14	709/228.ccls. or 709/227.ccls.	1618	L14
L13	(determin$3 or detect$4 or autoconfigurat$6 or configur$6) same (link$3 or connection or device or router or host or gateway) same (rip-1 or rip-2 or rip version 1 or rip version 2 or ripver1 or ripver2 or rip adj1 version)	8	L13
	DB=PGPB; PLUR=YES; OP=ADJ		
L12	(determin$3 or detect$4 or autoconfigurat$6 or configur$6) same (link$3 or connection or device or router or host or gateway) same (rip-1 or rip-2 or rip version 1 or rip version 2 or ripver1 or ripver2 or rip adj1 version)	9	L12
L11	configur$6 same (link$3 or connection or device or router or host or gateway) same (rip-1 or rip-2 or rip version 1 or rip version 2 or ripver1 or ripver2)	2	L11
	DB=USPT; PLUR=YES; OP=ADJ		

L10	configur$6 same (link$3 or connection or device or router or host or gateway) same (rip-1 or rip-2 or rip version 1 or rip version 2 or ripver1 or ripver2)	2	L10
L9	configur$6 same (link$3 or connection or device or router or host or gateway) with (rip-1 or rip-2 or rip version 1 or rip version 2 or ripver1 or ripver2)	1	L9
L8	configur$6 with (link$3 or connection) with (rip-1 or rip-2 or rip version 1 or rip version 2 or ripver1 or ripver2)	0	L8
L7	configur$6 near5 (link$3 or connection) near5 (rip-1 or rip-2 or rip version 1 or rip version 2 or ripver1 or ripver2)	0	L7
L6	6243759[uref]	2	L6
L5	6243759[uref]	2	L5
L4	(determin$3 or identif$6 or detect$6) with (rip or routing information protocol) with (version or ver or number) with (device or router or host)	11	L4
L3	(determin$3 or identif$6 or detect$6) near5 (rip or routing information protocol) with (version or ver or number) with (device or router or host)	3	L3
L2	(determin$3 or identif$6 or detect$6) near5 (request or packet or frame) near5 (rip$4 or rip adj ver$6) with (device or router or host)	12	L2
L1	(determin$3 or identif$6 or detect$6)4 near5 (request or packet or frame) near5 (rip$4 or rip adj ver$6) with (device or router or host)	0	L1

END OF SEARCH HISTORY

Freeform Search

Database: US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Term:

Display: 10 **Documents in Display Format:** TI **Starting with Number** 1

Generate: ○ **Hit List** ◉ **Hit Count** ○ **Side by Side** ○ **Image**

Search Clear Interrupt

Search History

DATE: Monday, March 29, 2004 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=USPT; PLUR=YES; OP=ADJ			
L14	(determin$4 or detect$6 or identif$6 or configurat$6) with rip-$ with (router or gateway or host or device)	12	L14
L13	l11 and version	61	L13
L12	l11 same version	4	L12
L11	(determin$4 or detect$6 or identif$6 or configurat$6) with rip$ with (router or gateway or host or device)	360	L11
L10	(determin$4 or detect$6 or identif$6) with rip$6 with (type or version) with (router or gateway or host or device)	13	L10
L9	receiv$3 with (packet or frame or data or request) with (determin$4 or detect$6 or identif$6) with rip$6 same (type or version) with (router or gateway or host or device)	1	L9
L8	receiv$3 with (packet or frame or data or request) with (determin$4 or detect$6 or identif$6) with rip$3 with (type or version) with (router or gateway or host or device)	0	L8
L7	receiv$3 with (packet or frame or data or request) with (determin$4 or detect$6 or identif$6) with (rip$3 or protocol) with (type or version) with	63	L7

	(router or gateway or host or device)		
L6	L5 not ripping	410	L6
L5	(determin$4 or detect$6 or identif$6) with (rip$3 or protocol) with (type or version) with (router or gateway or host or device)	410	L5
L4	(determin$4 or detect$6 or identif$6) with (rip protocol) with (type or version) with (router or gateway or host or device)	0	L4
L3	(determin$4 or detect$6 or identif$6) with (rip or routing protocol) with (type or version) with (router or gateway or host or device)	6	L3
L2	(determin$4 or detect$6 or identif$6) with (rip routing protocol) with (type or version) with (router or gateway or host or device)	0	L2
L1	(determin$4 or detect$6 or identif$6) with rip$6 adj2 version with (router or gateway or host or device)	1	L1

END OF SEARCH HISTORY

Freeform Search

Database: US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Term:

Display: 10 **Documents in Display Format:** TI **Starting with Number** 1

Generate: ○ **Hit List** ◉ **Hit Count** ○ **Side by Side** ○ **Image**

Search Clear Interrupt

Search History

DATE: Monday, March 29, 2004 Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
	DB=USPT; PLUR=YES; OP=ADJ		
L24	L23 and l19	0	L24
L23	rip near5 version	46	L23
L22	L21 and l20	0	L22
L21	(link$3 or connection or device or router or host or gateway) same (rip-1 or rip-2 or rip version 1 or rip version 2 or ripver1 or ripver2 or rip adj1 version)	26	L21
L20	5251205.pn. or 5430727.pn. or 5581552.pn. or 6243758.pn. or 6331984.pn. or 6418476.pn. or 5905712.pn. or 5917820.pn. or 6112248.pn. or 6169741.pn. or 6078590.pn. or 6144668.pn. or 6169739.pn. or 6028862.pn. or 6081507.pn. or 6370144.pn. or 6389031.pn. or 6449283.pn. or 6487213.pn. or 6501741.pn. or 6587457.pn. or 6667984.pn. or 6157641.pn. or 5361256.pn. or 5353283.pn. or 5822523.pn. or 5922049.pn. or 6049524.pn. or 6055561.pn. or 6070187.pn. or 6147999.pn. or 6175867.pn. or 6185623.pn. or 6226686.pn. or 6256314.pn. or 6438612.pn. or 6490246.pn. or 6574214.pn. or 6636498.pn. or 6680942.pn. or 6457059.pn. or 6473421.pn. or 6023724.pn. or 6134235.pn. or 6182224.pn. or 5856974.pn. or 5949753.pn. or 6094525.pn. or 6496510.pn. or 6636895.pn.	50	L20
	5251205.pn. or 5430727.pn. or 5581552.pn. or 6243758.pn. or 6331984.pn. or		

L19	6418476.pn. or 5905712.pn. or 5917820.pn. or 6112248.pn. or 6169741.pn. or 6078590.pn. or 6144668.pn. or 6169739.pn. or 6028862.pn. or 6081507.pn. or 6370144.pn. or 6389031.pn. or 6449283.pn. or 6487213.pn. or 6501741.pn. or 6587457.pn. or 6667984.pn. or 6157641.pn. or 5361256.pn. or 5353283.pn. or 5822523.pn. or 5922049.pn. or 6049524.pn. or 6055561.pn. or 6070187.pn. or 6147999.pn. or 6175867.pn. or 6185623.pn. or 6226686.pn. or 6256314.pn. or 6438612.pn. or 6490246.pn. or 6574214.pn. or 6636498.pn. or 6680942.pn. or 6457059.pn. or 6473421.pn. or 6023724.pn. or 6134235.pn. or 6182224.pn. or 5856974.pn. or 5949753.pn. or 6094525.pn. 6496510.pn. or 6636895.pn.	48	L19
L18	L17 and rip	5	L18
L17	L14 and protocol adj version	63	L17
L16	L14 and rip adj version	2	L16
L15	L14 and rip adj cersion	0	L15
L14	709/228.ccls. or 709/227.ccls.	1618	L14
L13	(determin$3 or detect$4 or autoconfigurat$6 or configur$6) same (link$3 or connection or device or router or host or gateway) same (rip-1 or rip-2 or rip version 1 or rip version 2 or ripver1 or ripver2 or rip adj1 version)	8	L13
	DB=PGPB; PLUR=YES; OP=ADJ		
L12	(determin$3 or detect$4 or autoconfigurat$6 or configur$6) same (link$3 or connection or device or router or host or gateway) same (rip-1 or rip-2 or rip version 1 or rip version 2 or ripver1 or ripver2 or rip adj1 version)	9	L12
L11	configur$6 same (link$3 or connection or device or router or host or gateway) same (rip-1 or rip-2 or rip version 1 or rip version 2 or ripver1 or ripver2)	2	L11
	DB=USPT; PLUR=YES; OP=ADJ		
L10	configur$6 same (link$3 or connection or device or router or host or gateway) same (rip-1 or rip-2 or rip version 1 or rip version 2 or ripver1 or ripver2)	2	L10
L9	configur$6 same (link$3 or connection or device or router or host or gateway) with (rip-1 or rip-2 or rip version 1 or rip version 2 or ripver1 or ripver2)	1	L9
L8	configur$6 with (link$3 or connection) with (rip-1 or rip-2 or rip version 1 or rip version 2 or ripver1 or ripver2)	0	L8
L7	configur$6 near5 (link$3 or connection) near5 (rip-1 or rip-2 or rip version 1 or rip version 2 or ripver1 or ripver2)	0	L7
L6	6243759[uref]	2	L6
L5	6243759[uref]	2	L5
L4	(determin$3 or identif$6 or detect$6) with (rip or routing information protocol) with (version or ver or number) with (device or router or host)	11	L4
L3	(determin$3 or identif$6 or detect$6) near5 (rip or routing information protocol) with (version or ver or number) with (device or router or host)	3	L3
L2	(determin$3 or identif$6 or detect$6) near5 (request or packet or frame) near5 (rip$4 or rip adj ver$6) with (device or router or host)	12	L2
L1	(determin$3 or identif$6 or detect$6)4 near5 (request or packet or frame) near5 (rip$4 or rip adj ver$6) with (device or router or host)	0	L1

END OF SEARCH HISTORY

Web Images Groups News Froogle[New!] more »

configuring same rip version link Search Advanced Search Preferences

Web